


Max length of units are 600mm.


Water drips to underside.

External / Internal units and Terminal End units are available.


**CS01** (10kg)




**CS02** (13kg)




**CS03** (16kg)




**CS04** (13kg)




**CS04A** (15kg)




**CS04B** (10kg)




**CS04C** (12kg)




**CS05** (12kg)



**CS08** (19kg)



**CS60** (9kg)




Max length of units are 600mm.


Water drips to underside.

External / Internal units and Terminal End units are available.


**CS11** (17kg)




**CS11A** (19kg)




**CS12** (22kg)




**CS12A** (24kg)




**CS13** (22kg)




**CS13A** (24kg)




**CS14** (31kg)




**CS14A** (34kg)




**CS14B** (24kg)




**CS14C** (30kg)




**CS15** (29kg)




**CS17** (37kg)




**CS18** (41kg)




**CS19** (25kg)




**CS51** (30kg)



**CS61** (25kg)



**CS62** (43kg)




Max length of units are 600mm.


Water drips to underside

External / Internal units and Terminal End units are available.


**CS20** (24kg)




**CS21** (25kg)




**CS22** (31kg)




**CS23** (30kg)




**CS24** (30kg)




**CS31** (37kg)




**CS32** (32kg)




**CS33** (31kg)




**CS34** (45kg)




**CS34B** (33kg)




**CS34C** (45kg)




**CS35** (46kg)




**CS28** (47kg)




**CS37** (56kg)




**CS36** (32kg)



**CS63** (36kg)



**CS64** (63kg)




Max length of units are 600mm.


Water drips to underside

External / Internal units and Terminal End units are available.


**CS48** (52kg)




**CS49** (42kg)




**CS50** (50kg)




**CS52** (55kg)




**CS54** (55kg)




**CS54B** (38kg)




**CS54C** (55kg)




**CS56** (63kg)




**CS57** (66kg)




**CS58** (36kg)




**CS40** (35kg)



**CS65** (42kg)



**CS66** (74kg)




Max length of units are 600mm.


Water drips to underside

External / Internal units and Terminal End units are available.


**CS41** (47kg)




**CS42** (55kg)




**CS43** (55kg)




**CS44** (65kg)




**CS44B** (43kg)




**CS44C** (65kg)




**CS45** (58kg)




**CS47** (69kg)




**CS67** (46kg)




**CS68** (83kg)





**CS46** (42kg)







ARROWS POINT IN THE DIRECTION OF THE SLOPE, FROM HIGH TO LOW, OR ALTERNATIVELY THE DIRECTION WHICH WATER WILL FLOW.




Straights




Terminal End Left Hand




External Return




Internal Return




Terminal End Right Hand




CS14 Drop Down & Vertical Curved Coping




Typical Section




**CS18** (41kg)







**SWP1-90X**




**SWP2-90X**




**SWP1-90H**



**SWP2-90H**



**SWP1**



**SWP2**

